



Engine Specifications by Horsepower

Horsepower	400	350
Engine type	<ul style="list-style-type: none"> V10 	<ul style="list-style-type: none"> V10
Displacement (CID/CC)	<ul style="list-style-type: none"> 349 CID 	<ul style="list-style-type: none"> 349 CID
Displacement (L)	<ul style="list-style-type: none"> 5.7 	<ul style="list-style-type: none"> 5.7
Cylinder Configuration	<ul style="list-style-type: none"> V10 	<ul style="list-style-type: none"> V10
Full throttle RPM	<ul style="list-style-type: none"> 5800-6400 	<ul style="list-style-type: none"> 5800-6400
Alternator amp / Watt	<ul style="list-style-type: none"> 150 amp 	<ul style="list-style-type: none"> 150 amp
Starting	<ul style="list-style-type: none"> Electric Start with SmartStart Protection 	<ul style="list-style-type: none"> Electric Start with SmartStart Protection
Steering	<ul style="list-style-type: none"> Electro-hydraulic power steering Joystick Piloting for Outboards 	<ul style="list-style-type: none"> Electro-hydraulic power steering Joystick Piloting for Outboards
Shaft length	<ul style="list-style-type: none"> 20" / 508 mm 	<ul style="list-style-type: none"> 20" / 508 mm
	<ul style="list-style-type: none"> 25" / 635 mm 	<ul style="list-style-type: none"> 25" / 635 mm
	<ul style="list-style-type: none"> 30" / 762 mm 	<ul style="list-style-type: none"> 30" / 762 mm
	<ul style="list-style-type: none"> 35" / 889mm 	<ul style="list-style-type: none"> 35" / 889mm
Gearcase ratio	<ul style="list-style-type: none"> 2.08:1 	<ul style="list-style-type: none"> 2.08:1
Dry weight *Lightest model available	<ul style="list-style-type: none"> 695 lbs / 316 kgs 	<ul style="list-style-type: none"> 695 lbs / 316 kgs
Trim system	<ul style="list-style-type: none"> Power trim and tilt 	<ul style="list-style-type: none"> Power trim and tilt